

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
G	G25	0.961	0.122	24.40	3.10	02440X00310
G	G30	1.157	0.122	29.40	3.10	02940X00310
G	G35	1.354	0.122	34.40	3.10	03440X00310
G	G40	1.551	0.122	39.40	3.10	03940X00310
G	G45	1.748	0.122	44.40	3.10	04440X00310
G	G50	1.945	0.122	49.40	3.10	04940X00310
G	G55	2.142	0.122	54.40	3.10	05440X00310
G	G60	2.339	0.122	59.40	3.10	05940X00310
G	G65	2.535	0.122	64.40	3.10	06440X00310
G	G70	2.732	0.122	69.40	3.10	06940X00310
G	G75	2.929	0.122	74.40	3.10	07440X00310
G	G80	3.126	0.122	79.40	3.10	07940X00310
G	G85	3.323	0.122	84.40	3.10	08440X00310
G	G90	3.520	0.122	89.40	3.10	08940X00310
G	G95	3.717	0.122	94.40	3.10	09440X00310
G	G100	3.913	0.122	99.40	3.10	09940X00310
G	G105	4.110	0.122	104.40	3.10	10440X00310
G	G110	4.307	0.122	109.40	3.10	10940X00310
G	G115	4.504	0.122	114.40	3.10	11440X00310
G	G120	4.701	0.122	119.40	3.10	11940X00310
G	G125	4.898	0.122	124.40	3.10	12440X00310
G	G130	5.094	0.122	129.40	3.10	12940X00310
G	G135	5.291	0.122	134.40	3.10	13440X00310
G	G140	5.488	0.122	139.40	3.10	13940X00310
G	G145	5.685	0.122	144.40	3.10	14440X00310
G	G150	5.878	0.224	149.30	5.70	14930X00570
G	G155	6.075	0.224	154.30	5.70	15430X00570
G	G160	6.272	0.224	159.30	5.70	15930X00570
G	G165	6.468	0.224	164.30	5.70	16430X00570
G	G170	6.665	0.224	169.30	5.70	16930X00570
G	G175	6.862	0.224	174.30	5.70	17430X00570
G	G180	7.059	0.224	179.30	5.70	17930X00570
G	G185	7.256	0.224	184.30	5.70	18430X00570
G	G190	7.453	0.224	189.30	5.70	18930X00570
G	G195	7.650	0.224	194.30	5.70	19430X00570
G	G200	7.846	0.224	199.30	5.70	19930X00570
G	G205	8.043	0.224	204.30	5.70	20430X00570
G	G210	8.240	0.224	209.30	5.70	20930X00570

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
G	G215	8.437	0.224	214.30	5.70	21430X00570
G	G220	8.634	0.224	219.30	5.70	21930X00570
G	G225	8.831	0.224	224.30	5.70	22430X00570
G	G230	9.028	0.224	229.30	5.70	22930X00570
G	G235	9.224	0.224	234.30	5.70	23430X00570
G	G240	9.421	0.224	239.30	5.70	23930X00570
G	G245	9.618	0.224	244.30	5.70	24430X00570
G	G250	9.815	0.224	249.30	5.70	24930X00570
G	G255	10.012	0.224	254.30	5.70	25430X00570
G	G260	10.209	0.224	259.30	5.70	25930X00570
G	G265	10.405	0.224	264.30	5.70	26430X00570
G	G270	10.602	0.224	269.30	5.70	26930X00570
G	G275	10.799	0.224	274.30	5.70	27430X00570
G	G280	10.996	0.224	279.30	5.70	27930X00570
G	G285	11.193	0.224	284.30	5.70	28430X00570
G	G290	11.390	0.224	289.30	5.70	28930X00570
G	G295	11.587	0.224	294.30	5.70	29430X00570
G	G300	11.783	0.224	299.30	5.70	29930X00570
G	G305	11.980	0.224	304.30	5.70	30430X00570
G	G310	12.177	0.224	309.30	5.70	30930X00570
G	G315	12.374	0.224	314.30	5.70	31430X00570
G	G320	12.571	0.224	319.30	5.70	31930X00570
G	G325	12.768	0.224	324.30	5.70	32430X00570
G	G330	12.965	0.224	329.30	5.70	32930X00570
G	G335	13.161	0.224	334.30	5.70	33430X00570
G	G340	13.358	0.224	339.30	5.70	33930X00570
G	G345	13.555	0.224	344.30	5.70	34430X00570
G	G350	13.752	0.224	349.30	5.70	34930X00570
G	G355	13.949	0.224	354.30	5.70	35430X00570
G	G360	14.146	0.224	359.30	5.70	35930X00570
G	G365	14.342	0.224	364.30	5.70	36430X00570
G	G370	14.539	0.224	369.30	5.70	36930X00570
G	G375	14.736	0.224	374.30	5.70	37430X00570
G	G380	14.933	0.224	379.30	5.70	37930X00570
G	G385	15.130	0.224	384.30	5.70	38430X00570
G	G390	15.327	0.224	389.30	5.70	38930X00570
G	G395	15.524	0.224	394.30	5.70	39430X00570
G	G400	15.720	0.224	399.30	5.70	39930X00570

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
G	G405	15.917	0.224	404.30	5.70	40430X00570
G	G410	16.114	0.224	409.30	5.70	40930X00570
G	G415	16.311	0.224	414.30	5.70	41430X00570
G	G420	16.508	0.224	419.30	5.70	41930X00570
G	G425	16.705	0.224	424.30	5.70	42430X00570
G	G430	16.902	0.224	429.30	5.70	42930X00570
G	G435	17.098	0.224	434.30	5.70	43430X00570
G	G440	17.295	0.224	439.30	5.70	43930X00570
G	G445	17.492	0.224	444.30	5.70	44430X00570
G	G450	17.689	0.224	449.30	5.70	44930X00570
G	G455	17.886	0.224	454.30	5.70	45430X00570
G	G460	18.083	0.224	459.30	5.70	45930X00570
G	G465	18.279	0.224	464.30	5.70	46430X00570
G	G470	18.476	0.224	469.30	5.70	46930X00570
G	G475	18.673	0.224	474.30	5.70	47430X00570
G	G480	18.870	0.224	479.30	5.70	47930X00570
G	G485	19.067	0.224	484.30	5.70	48430X00570
G	G490	19.264	0.224	489.30	5.70	48930X00570
G	G495	19.461	0.224	494.30	5.70	49430X00570
G	G500	19.657	0.224	499.30	5.70	49930X00570
G	G510	20.051	0.224	509.30	5.70	50930X00570
G	G520	20.445	0.224	519.30	5.70	51930X00570
G	G530	20.839	0.224	529.30	5.70	52930X00570
G	G540	21.232	0.224	539.30	5.70	53930X00570
G	G550	21.626	0.224	549.30	5.70	54930X00570
G	G560	22.020	0.224	559.30	5.70	55930X00570
G	G570	22.413	0.224	569.30	5.70	56930X00570
G	G580	22.807	0.224	579.30	5.70	57930X00570
G	G590	23.201	0.224	589.30	5.70	58930X00570
G	G600	23.594	0.224	599.30	5.70	59930X00570
G	G605	23.791	0.224	604.30	5.70	60430X00570
G	G860	33.831	0.224	859.30	5.70	85930X00570
G	G910	35.799	0.224	909.30	5.70	90930X00570
P	P3	0.110	0.075	2.80	1.90	00280X00190
P	P4	0.150	0.075	3.80	1.90	00380X00190
P	P5	0.189	0.075	4.80	1.90	00480X00190
P	P6	0.228	0.075	5.80	1.90	00580X00190
P	P7	0.268	0.075	6.80	1.90	00680X00190

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
P	P8	0.307	0.075	7.80	1.90	00780X00190
P	P9	0.346	0.075	8.80	1.90	00880X00190
P	P10	0.386	0.075	9.80	1.90	00980X00190
P	P10A	0.386	0.094	9.80	2.40	00980X00240
P	P11	0.425	0.094	10.80	2.40	01080X00240
P	P11.2	0.433	0.094	11.00	2.40	01100X00240
P	P12	0.465	0.094	11.80	2.40	01180X00240
P	P12.5	0.484	0.094	12.30	2.40	01230X00240
P	P14	0.543	0.094	13.80	2.40	01380X00240
P	P15	0.583	0.094	14.80	2.40	01480X00240
P	P16	0.622	0.094	15.80	2.40	01580X00240
P	P18	0.701	0.094	17.80	2.40	01780X00240
P	P20	0.780	0.094	19.80	2.40	01980X00240
P	P21	0.819	0.094	20.80	2.40	02080X00240
P	P22	0.858	0.094	21.80	2.40	02180X00240
P	P22A	0.854	0.138	21.70	3.50	02170X00350
P	P22.4	0.870	0.138	22.10	3.50	02210X00350
P	P24	0.933	0.138	23.70	3.50	02370X00350
P	P25	0.972	0.138	24.70	3.50	02470X00350
P	P25.5	0.992	0.138	25.20	3.50	02520X00350
P	P26	1.012	0.138	25.70	3.50	02570X00350
P	P28	1.091	0.138	27.70	3.50	02770X00350
P	P29	1.130	0.138	28.70	3.50	02870X00350
P	P29.5	1.150	0.138	29.20	3.50	02920X00350
P	P30	1.169	0.138	29.70	3.50	02970X00350
P	P31	1.209	0.138	30.70	3.50	03070X00350
P	P31.5	1.228	0.138	31.20	3.50	03120X00350
P	P32	1.248	0.138	31.70	3.50	03170X00350
P	P34	1.327	0.138	33.70	3.50	03370X00350
P	P35	1.366	0.138	34.70	3.50	03470X00350
P	P35.5	1.386	0.138	35.20	3.50	03520X00350
P	P36	1.406	0.138	35.70	3.50	03570X00350
P	P38	1.484	0.138	37.70	3.50	03770X00350
P	P39	1.524	0.138	38.70	3.50	03870X00350
P	P40	1.563	0.138	39.70	3.50	03970X00350
P	P41	1.602	0.138	40.70	3.50	04070X00350
P	P42	1.642	0.138	41.70	3.50	04170X00350
P	P44	1.720	0.138	43.70	3.50	04370X00350

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
P	P45	1.760	0.138	44.70	3.50	04470X00350
P	P46	1.799	0.138	45.70	3.50	04570X00350
P	P48	1.878	0.138	47.70	3.50	04770X00350
P	P49	1.917	0.138	48.70	3.50	04870X00350
P	P50	1.957	0.138	49.70	3.50	04970X00350
P	P48A	1.874	0.224	47.60	5.70	04760X00570
P	P50A	1.953	0.224	49.60	5.70	04960X00570
P	P52	2.031	0.224	51.60	5.70	05160X00570
P	P53	2.071	0.224	52.60	5.70	05260X00570
P	P55	2.150	0.224	54.60	5.70	05460X00570
P	P56	2.189	0.224	55.60	5.70	05560X00570
P	P58	2.268	0.224	57.60	5.70	05760X00570
P	P60	2.346	0.224	59.60	5.70	05960X00570
P	P62	2.425	0.224	61.60	5.70	06160X00570
P	P63	2.465	0.224	62.60	5.70	06260X00570
P	P65	2.543	0.224	64.60	5.70	06460X00570
P	P67	2.622	0.224	66.60	5.70	06660X00570
P	P70	2.740	0.224	69.60	5.70	06960X00570
P	P71	2.780	0.224	70.60	5.70	07060X00570
P	P75	2.937	0.224	74.60	5.70	07460X00570
P	P80	3.134	0.224	79.60	5.70	07960X00570
P	P85	3.331	0.224	84.60	5.70	08460X00570
P	P90	3.528	0.224	89.60	5.70	08960X00570
P	P95	3.724	0.224	94.60	5.70	09460X00570
P	P100	3.921	0.224	99.60	5.70	09960X00570
P	P102	4.000	0.224	101.60	5.70	10160X00570
P	P105	4.118	0.224	104.60	5.70	10460X00570
P	P110	4.315	0.224	109.60	5.70	10960X00570
P	P112	4.394	0.224	111.60	5.70	11160X00570
P	P115	4.512	0.224	114.60	5.70	11460X00570
P	P120	4.709	0.224	119.60	5.70	11960X00570
P	P125	4.906	0.224	124.60	5.70	12460X00570
P	P130	5.102	0.224	129.60	5.70	12960X00570
P	P132	5.181	0.224	131.60	5.70	13160X00570
P	P135	5.299	0.224	134.60	5.70	13460X00570
P	P140	5.496	0.224	139.60	5.70	13960X00570
P	P145	5.693	0.224	144.60	5.70	14460X00570
P	P150	5.890	0.224	149.60	5.70	14960X00570

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
P	P150A	5.886	0.331	149.50	8.40	14950X00840
P	P155	6.083	0.331	154.50	8.40	15450X00840
P	P160	6.280	0.331	159.50	8.40	15950X00840
P	P165	6.476	0.331	164.50	8.40	16450X00840
P	P170	6.673	0.331	169.50	8.40	16950X00840
P	P175	6.870	0.331	174.50	8.40	17450X00840
P	P180	7.067	0.331	179.50	8.40	17950X00840
P	P185	7.264	0.331	184.50	8.40	18450X00840
P	P190	7.461	0.331	189.50	8.40	18950X00840
P	P195	7.657	0.331	194.50	8.40	19450X00840
P	P200	7.854	0.331	199.50	8.40	19950X00840
P	P205	8.051	0.331	204.50	8.40	20450X00840
P	P209	8.209	0.331	208.50	8.40	20850X00840
P	P210	8.248	0.331	209.50	8.40	20950X00840
P	P215	8.445	0.331	214.50	8.40	21450X00840
P	P220	8.642	0.331	219.50	8.40	21950X00840
P	P225	8.839	0.331	224.50	8.40	22450X00840
P	P230	9.035	0.331	229.50	8.40	22950X00840
P	P235	9.232	0.331	234.50	8.40	23450X00840
P	P240	9.429	0.331	239.50	8.40	23950X00840
P	P245	9.626	0.331	244.50	8.40	24450X00840
P	P250	9.823	0.331	249.50	8.40	24950X00840
P	P255	10.020	0.331	254.50	8.40	25450X00840
P	P260	10.217	0.331	259.50	8.40	25950X00840
P	P265	10.413	0.331	264.50	8.40	26450X00840
P	P270	10.610	0.331	269.50	8.40	26950X00840
P	P275	10.807	0.331	274.50	8.40	27450X00840
P	P280	11.004	0.331	279.50	8.40	27950X00840
P	P285	11.201	0.331	284.50	8.40	28450X00840
P	P290	11.398	0.331	289.50	8.40	28950X00840
P	P295	11.594	0.331	294.50	8.40	29450X00840
P	P300	11.791	0.331	299.50	8.40	29950X00840
P	P305	11.988	0.331	304.50	8.40	30450X00840
P	P310	12.185	0.331	309.50	8.40	30950X00840
P	P315	12.382	0.331	314.50	8.40	31450X00840
P	P320	12.579	0.331	319.50	8.40	31950X00840
P	P325	12.776	0.331	324.50	8.40	32450X00840
P	P330	12.972	0.331	329.50	8.40	32950X00840

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
P	P335	13.169	0.331	334.50	8.40	33450X00840
P	P340	13.366	0.331	339.50	8.40	33950X00840
P	P345	13.563	0.331	344.50	8.40	34450X00840
P	P350	13.760	0.331	349.50	8.40	34950X00840
P	P355	13.957	0.331	354.50	8.40	35450X00840
P	P360	14.154	0.331	359.50	8.40	35950X00840
P	P365	14.350	0.331	364.50	8.40	36450X00840
P	P370	14.547	0.331	369.50	8.40	36950X00840
P	P375	14.744	0.331	374.50	8.40	37450X00840
P	P380	14.941	0.331	379.50	8.40	37950X00840
P	P385	15.138	0.331	384.50	8.40	38450X00840
P	P390	15.335	0.331	389.50	8.40	38950X00840
P	P395	15.531	0.331	394.50	8.40	39450X00840
P	P400	15.728	0.331	399.50	8.40	39950X00840
P	P405	15.925	0.331	404.50	8.40	40450X00840
P	P410	16.122	0.331	409.50	8.40	40950X00840
P	P415	16.319	0.331	414.50	8.40	41450X00840
P	P420	16.516	0.331	419.50	8.40	41950X00840
P	P425	16.713	0.331	424.50	8.40	42450X00840
P	P430	16.909	0.331	429.50	8.40	42950X00840
P	P435	17.106	0.331	434.50	8.40	43450X00840
P	P440	17.303	0.331	439.50	8.40	43950X00840
P	P445	17.500	0.331	444.50	8.40	44450X00840
P	P450	17.697	0.331	449.50	8.40	44950X00840
P	P455	17.894	0.331	454.50	8.40	45450X00840
P	P460	18.091	0.331	459.50	8.40	45950X00840
P	P465	18.287	0.331	464.50	8.40	46450X00840
P	P470	18.484	0.331	469.50	8.40	46950X00840
P	P475	18.681	0.331	474.50	8.40	47450X00840
P	P480	18.878	0.331	479.50	8.40	47950X00840
P	P485	19.075	0.331	484.50	8.40	48450X00840
P	P490	19.272	0.331	489.50	8.40	48950X00840
P	P495	19.468	0.331	494.50	8.40	49450X00840
P	P500	19.665	0.331	499.50	8.40	49950X00840
P	P590	23.209	0.331	589.50	8.40	58950X00840
P	P600	23.602	0.331	599.50	8.40	59950X00840
P	P610	23.996	0.331	609.50	8.40	60950X00840
P	P620	24.390	0.331	619.50	8.40	61950X00840

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
P	P625	24.587	0.331	624.50	8.40	62450X00840
P	P635	24.980	0.331	634.50	8.40	63450X00840
P	P650	25.571	0.331	649.50	8.40	64950X00840
P	P680	26.752	0.331	679.50	8.40	67950X00840
P	P690	27.146	0.331	689.50	8.40	68950X00840
P	P700	27.539	0.331	699.50	8.40	69950X00840
P	P710	27.933	0.331	709.50	8.40	70950X00840
P	P720	28.327	0.331	719.50	8.40	71950X00840
P	P730	28.720	0.331	729.50	8.40	72950X00840
P	P740	29.114	0.331	739.50	8.40	73950X00840
P	P750	29.508	0.331	749.50	8.40	74950X00840
P	P760	29.902	0.331	759.50	8.40	75950X00840
P	P770	30.295	0.331	769.50	8.40	76950X00840
P	P780	30.689	0.331	779.50	8.40	77950X00840
P	P790	31.083	0.331	789.50	8.40	78950X00840
P	P800	31.476	0.331	799.50	8.40	79950X00840
P	P810	31.870	0.331	809.50	8.40	80950X00840
P	P820	32.264	0.331	819.50	8.40	81950X00840
P	P830	32.657	0.331	829.50	8.40	82950X00840
P	P840	33.051	0.331	839.50	8.40	83950X00840
P	P850	33.445	0.331	849.50	8.40	84950X00840
P	P860	33.839	0.331	859.50	8.40	85950X00840
P	P870	34.232	0.331	869.50	8.40	86950X00840
P	P880	34.626	0.331	879.50	8.40	87950X00840
P	P890	35.020	0.331	889.50	8.40	88950X00840
P	P900	35.413	0.331	899.50	8.40	89950X00840
P	P910	35.807	0.331	909.50	8.40	90950X00840
P	P915	36.004	0.331	914.50	8.40	91450X00840
P	P920	36.201	0.331	919.50	8.40	91950X00840
P	P930	36.594	0.331	929.50	8.40	92950X00840
P	P940	36.988	0.331	939.50	8.40	93950X00840
P	P950	37.382	0.331	949.50	8.40	94950X00840
P	P960	37.776	0.331	959.50	8.40	95950X00840
P	P970	38.169	0.331	969.50	8.40	96950X00840
P	P980	38.563	0.331	979.50	8.40	97950X00840
P	P990	38.957	0.331	989.50	8.40	98950X00840
P	P1000	39.350	0.331	999.50	8.40	99950X00840
S	S3	0.098	0.059	2.50	1.50	00250X00150

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
S	S4	0.138	0.059	3.50	1.50	00350X00150
S	S5	0.177	0.059	4.50	1.50	00450X00150
S	S6	0.217	0.059	5.50	1.50	00550X00150
S	S7	0.256	0.059	6.50	1.50	00650X00150
S	S8	0.295	0.059	7.50	1.50	00750X00150
S	S9	0.335	0.059	8.50	1.50	00850X00150
S	S10	0.374	0.059	9.50	1.50	00950X00150
S	S11.2	0.421	0.059	10.70	1.50	01070X00150
S	S12	0.453	0.059	11.50	1.50	01150X00150
S	S12.5	0.472	0.059	12.00	1.50	01200X00150
S	S14	0.531	0.059	13.50	1.50	01350X00150
S	S15	0.571	0.059	14.50	1.50	01450X00150
S	S16	0.610	0.059	15.50	1.50	01550X00150
S	S18	0.689	0.059	17.50	1.50	01750X00150
S	S20	0.768	0.059	19.50	1.50	01950X00150
S	S22	0.846	0.059	21.50	1.50	02150X00150
S	S22.4	0.862	0.079	21.90	2.00	02190X00200
S	S24	0.925	0.079	23.50	2.00	02350X00200
S	S25	0.965	0.079	24.50	2.00	02450X00200
S	S26	1.004	0.079	25.50	2.00	02550X00200
S	S28	1.083	0.079	27.50	2.00	02750X00200
S	S29	1.122	0.079	28.50	2.00	02850X00200
S	S30	1.161	0.079	29.50	2.00	02950X00200
S	S31.5	1.220	0.079	31.00	2.00	03100X00200
S	S32	1.240	0.079	31.50	2.00	03150X00200
S	S34	1.319	0.079	33.50	2.00	03350X00200
S	S35	1.358	0.079	34.50	2.00	03450X00200
S	S35.5	1.378	0.079	35.00	2.00	03500X00200
S	S36	1.398	0.079	35.50	2.00	03550X00200
S	S38	1.476	0.079	37.50	2.00	03750X00200
S	S39	1.516	0.079	38.50	2.00	03850X00200
S	S40	1.555	0.079	39.50	2.00	03950X00200
S	S42	1.634	0.079	41.50	2.00	04150X00200
S	S44	1.713	0.079	43.50	2.00	04350X00200
S	S45	1.752	0.079	44.50	2.00	04450X00200
S	S46	1.791	0.079	45.50	2.00	04550X00200
S	S48	1.870	0.079	47.50	2.00	04750X00200
S	S50	1.949	0.079	49.50	2.00	04950X00200

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
S	S53	2.067	0.079	52.50	2.00	05250X00200
S	S55	2.146	0.079	54.50	2.00	05450X00200
S	S56	2.185	0.079	55.50	2.00	05550X00200
S	S60	2.343	0.079	59.50	2.00	05950X00200
S	S63	2.461	0.079	62.50	2.00	06250X00200
S	S65	2.539	0.079	64.50	2.00	06450X00200
S	S67	2.618	0.079	66.50	2.00	06650X00200
S	S70	2.736	0.079	69.50	2.00	06950X00200
S	S71	2.776	0.079	70.50	2.00	07050X00200
S	S75	2.933	0.079	74.50	2.00	07450X00200
S	S80	3.130	0.079	79.50	2.00	07950X00200
S	S85	3.327	0.079	84.50	2.00	08450X00200
S	S90	3.524	0.079	89.50	2.00	08950X00200
S	S95	3.720	0.079	94.50	2.00	09450X00200
S	S100	3.917	0.079	99.50	2.00	09950X00200
S	S105	4.114	0.079	104.50	2.00	10450X00200
S	S110	4.311	0.079	109.50	2.00	10950X00200
S	S112	4.390	0.079	111.50	2.00	11150X00200
S	S115	4.508	0.079	114.50	2.00	11450X00200
S	S120	4.705	0.079	119.50	2.00	11950X00200
S	S125	4.902	0.079	124.50	2.00	12450X00200
S	S130	5.098	0.079	129.50	2.00	12950X00200
S	S132	5.177	0.079	131.50	2.00	13150X00200
S	S135	5.295	0.079	134.50	2.00	13450X00200
S	S140	5.492	0.079	139.50	2.00	13950X00200
S	S145	5.689	0.079	144.50	2.00	14450X00200
S	S150	5.886	0.079	149.50	2.00	14950X00200
V	V10	0.374	0.157	9.50	4.00	00950X00400
V	V15	0.571	0.157	14.50	4.00	01450X00400
V	V24	0.925	0.157	23.50	4.00	02350X00400
V	V34	1.319	0.157	33.50	4.00	03350X00400
V	V40	1.555	0.157	39.50	4.00	03950X00400
V	V55	2.146	0.157	54.50	4.00	05450X00400
V	V58	2.264	0.157	57.50	4.00	05750X00400
V	V70	2.717	0.157	69.00	4.00	06900X00400
V	V85	3.307	0.157	84.00	4.00	08400X00400
V	V100	3.898	0.157	99.00	4.00	09900X00400
V	V120	4.685	0.157	119.00	4.00	11900X00400

**JIS B 2401**

Series	JIS B 2401	ID (in)	CS (in)	ID (mm)	CS (mm)	Niti Part Number
V	V140	5.453	0.157	138.50	4.00	13850X00400
V	V150	5.846	0.157	148.50	4.00	14850X00400
V	V175	6.811	0.157	173.00	4.00	17300X00400
V	V225	8.760	0.236	222.50	6.00	22250X00600
V	V275	10.709	0.236	272.00	6.00	27200X00600
V	V315	12.283	0.236	312.00	6.00	31200X00600
V	V325	12.657	0.236	321.50	6.00	32150X00600
V	V380	14.803	0.236	376.00	6.00	37600X00600
V	V430	16.752	0.236	425.50	6.00	42550X00600
V	V475	18.524	0.236	470.50	6.00	47050X00600
V	V480	18.701	0.394	475.00	10.00	47500X01000
V	V490	19.094	0.394	485.00	10.00	48500X01000
V	V510	19.862	0.394	504.50	10.00	50450X01000
V	V530	20.650	0.394	524.50	10.00	52450X01000
V	V585	22.795	0.394	579.00	10.00	57900X01000
V	V640	24.941	0.394	633.50	10.00	63350X01000
V	V690	26.890	0.394	683.00	10.00	68300X01000
V	V740	28.839	0.394	732.50	10.00	73250X01000
V	V790	30.787	0.394	782.00	10.00	78200X01000
V	V950	37.027	0.394	940.50	10.00	94050X01000
V	V1055	41.102	0.394	1044.00	10.00	104400X01000